

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application.

1. (Currently Amended) A method for amplifying exon 2 and exon 3 or exon 4 of HLA-A, ~~HLA-B or HLA-C~~ alleles separately in one reaction, comprising
 - (a) hybridizing a forward or reverse primer to a locus-specific target sequence within an intron of the allele, wherein:
 - for the amplification of exon 2, the reverse primer specifically hybridizes to a locus-specific target sequence in intron 2 of HLA-A, ~~HLA-B or HLA-C~~ and;
 - for the amplification of exon 3, the forward primer specifically hybridizes to a locus-specific target sequence in intron 2 of HLA-A, ~~HLA-B or HLA-C~~ and/or the reverse primer specifically hybridizes to a locus-specific target sequence in intron 3 of HLA-A, ~~HLA-B or HLA-C~~;
 - ~~for the amplification of exon 4, the forward primer specifically hybridizes to a locus-specific target sequence in intron 3 of HLA-A, HLA-B or HLA-C.~~
 - wherein the locus-specific target sequence is situated at:
position 67, 96, 109, 110, 118, 123, 131 or 181 of the HLA-A intron 2 sequence as defined by SEQ ID NO 315 and/or position 32, 50, 62, 73, 83, 86, 118, 130, 150, 501, 525, 561 or 571 of the HLA-A intron 3 sequence as defined by SEQ ID NO 444, wherein said position constitute the 3' end of the primer, and
 - (b) amplifying exon 2 and 3 under conditions suitable to obtain an amplified product.

2-3. (Cancelled)

4. (Currently Amended) The method according to claim 3 1 wherein the primer is selected from the group consisting of:

- for the amplification of exon 2 of HLA-A (table 1):

5'ATCTCGGACCCGGAGACTGT3' (SEQ ID NO 1)
5'GATCTCGGACCCGGAGACTGT3' (SEQ ID NO 2)
5'GGATCTCGGACCCGGAGACTGT3' (SEQ ID NO 3)
5'YGGATCTCGGACCCGGAGACTGT3' (SEQ ID NO 4)
5'GYGGATCTCGGACCCGGAGACTGT3' (SEQ ID NO 5)
5'GGYGGATCTCGGACCCGGAGACTGT3' (SEQ ID NO 6)
5'GGTCTCGGRGTCCCGCGGCT3' (SEQ ID NO 7)
5'GGGTCTCGGRGTCCCGCGGCT3' (SEQ ID NO 8)
5'AGGGTCTCGGRGTCCCGCGGCT3' (SEQ ID NO 9)
5'AAGGGTCTCGGRGTCCCGCGGCT3' (SEQ ID NO 10)
5'CAAGGGTCTCGGRGTCCCGCGGCT3' (SEQ ID NO 11)
5'CTCCCGGGDCAAGGGTCTCG3' (SEQ ID NO 12)
5'TCTCCCGGGDCAAGGGTCTCG3' (SEQ ID NO 13)
5'CTCTCCCGGGDCAAGGGTCTCG3' (SEQ ID NO 14)
5'CCTCTCCCGGGDCAAGGGTCTCG3' (SEQ ID NO 15)
5'GCCTCTCCCGGGDCAAGGGTCTCG3' (SEQ ID NO 16)
5'GGCCTCTCCCGGGDCAAGGGTCTCG3' (SEQ ID NO 17)
5'TCTCCCGGGDCAAGGGTCTC3' (SEQ ID NO 18)
5'CTCTCCCGGGDCAAGGGTCTC3' (SEQ ID NO 19)
5'CCTCTCCCGGGDCAAGGGTCTC3' (SEQ ID NO 20)
5'GCCTCTCCCGGGDCAAGGGTCTC3' (SEQ ID NO 21)
5'GGCCTCTCCCGGGDCAAGGGTCTC3' (SEQ ID NO 22)
5'GGGCCTCTCCCGGGDCAAGGGTCTC3' (SEQ ID NO 23)
5'CCTGGGCCTCTCCCGGGDCA3' (SEQ ID NO 30)
5'GCCTGGGCCTCTCCCGGGDCA3' (SEQ ID NO 31)
5'CGCCTGGGCCTCTCCCGGGDCA3' (SEQ ID NO 32)
5'GCGCCTGGGCCTCTCCCGGGDCA3' (SEQ ID NO 33)
5'GGCGCCTGGGCCTCTCCCGGGDCA3' (SEQ ID NO 34)
5'AGGCGCCTGGGCCTCTCCCGGGDCA3' (SEQ ID NO 35)
5'AGGCGCCTGGGCCTCTCCCG3' (SEQ ID NO 36)

5'AAGGCGCCTGGGCCTCTCCCG3' (SEQ ID NO 37)
 5'WAAGGCGCCTGGGCCTCTCCCG3' (SEQ ID NO 38)
 5'TWAAGGCGCCTGGGCCTCTCCCG3' (SEQ ID NO 39)
 5'GTWAAGGCGCCTGGGCCTCTCCCG3' (SEQ ID NO 40)
 5'GGTWAAGGCGCCTGGGCCTCTCCCG3' (SEQ ID NO 41)
 5'CCGGGTWAAGGCGCCTGGGC3' (SEQ ID NO 42)
 5'ACCGGGTWAAGGCGCCTGGGC3' (SEQ ID NO 43)
 5'AACCGGGTWAAGGCGCCTGGGC3' (SEQ ID NO 44)
 5'AAACCGGGTWAAGGCGCCTGGGC3' (SEQ ID NO 45)
 5'GAAACCGGGTWAAGGCGCCTGGGC3' (SEQ ID NO 46)
 5'TGAAACCGGGTWAAGGCGCCTGGGC3' (SEQ ID NO 47)
 5'YCCVGCCCCGACCAACCYGG3' (SEQ ID NO 48)
 5'GYCCVGCCCCGACCAACCYGG3' (SEQ ID NO 49)
 5'YGYCCVGCCCCGACCAACCYGG3' (SEQ ID NO 50)
 5'CYGYCCVGCCCCGACCAACCYGG3' (SEQ ID NO 51)
 5'CCYGYCCVGCCCCGACCAACCYGG3' (SEQ ID NO 52)
 5'CCCYGYCCVGCCCCGACCAACCYGG3' (SEQ ID NO 53)

- for the amplification of exon 3 of HLA-A (~~table 2; table 3~~):

5'CGGACGGGCCRGGTSRCCCA3' (SEQ ID NO 54)
 5'ACGGACGGGCCRGGTSRCCCA3' (SEQ ID NO 55)
 5'CACGGACGGGCCRGGTSRCCCA3' (SEQ ID NO 56)
 5'CCACGGACGGGCCRGGTSRCCCA3' (SEQ ID NO 57)
 5'CCCACGGACGGGCCRGGTSRCCCA3' (SEQ ID NO 58)
 5'CCCCACGGACGGGCCRGGTSRCCCA3' (SEQ ID NO 59)
 5'GGTCCGAGATCCRCCCCGAA3' (SEQ ID NO 60)
 5'GGGTCCGAGATCCRCCCCGAA3' (SEQ ID NO 61)
 5'CGGGTCCGAGATCCRCCCCGAA3' (SEQ ID NO 62)
 5'CCGGGTCCGAGATCCRCCCCGAA3' (SEQ ID NO 63)
 5'TCCGGGTCCGAGATCCRCCCCGAA3' (SEQ ID NO 64)
 5'CTCCGGGTCCGAGATCCRCCCCGAA3' (SEQ ID NO 65)

5'CCCCGAAGCCGCGGGACYCC3' (SEQ ID NO 66)
5'RCCCCGAAGCCGCGGGACYCC3' (SEQ ID NO 67)
5'CRCCCCGAAGCCGCGGGACYCC3' (SEQ ID NO 68)
5'CCRCCCCGAAGCCGCGGGACYCC3' (SEQ ID NO 69)
5'TCCRCCCCGAAGCCGCGGGACYCC3' (SEQ ID NO 70)
5'ATCCRCCCCGAAGCCGCGGGACYCC3' (SEQ ID NO 71)
5'CCCGAAGCCGCGGGACYCCG3' (SEQ ID NO 72)
5'CCCCGAAGCCGCGGGACYCCG3' (SEQ ID NO 73)
5'RCCCCGAAGCCGCGGGACYCCG3' (SEQ ID NO 74)
5'CRCCCCGAAGCCGCGGGACYCCG3' (SEQ ID NO 75)
5'CCRCCCCGAAGCCGCGGGACYCCG3' (SEQ ID NO 76)
5'TCCRCCCCGAAGCCGCGGGACYCCG3' (SEQ ID NO 77)
5'CGCGGGACYCCGAGACCCTT3' (SEQ ID NO 84)
5'CCGCGGGACYCCGAGACCCTT3' (SEQ ID NO 85)
5'GCCGCGGGACYCCGAGACCCTT3' (SEQ ID NO 86)
5'AGCCGCGGGACYCCGAGACCCTT3' (SEQ ID NO 87)
5'AAGCCGCGGGACYCCGAGACCCTT3' (SEQ ID NO 88)
5'GAAGCCGCGGGACYCCGAGACCCTT3' (SEQ ID NO 89)
5'GACYCCGAGACCCTTGDCCC3' (SEQ ID NO 90)
5'GGACYCCGAGACCCTTGDCCC3' (SEQ ID NO 91)
5'GGGACYCCGAGACCCTTGDCCC3' (SEQ ID NO 92)
5'CGGGACYCCGAGACCCTTGDCCC3' (SEQ ID NO 93)
5'GCGGGACYCCGAGACCCTTGDCCC3' (SEQ ID NO 94)
5'CGCGGGACYCCGAGACCCTTGDCCC3' (SEQ ID NO 95)
5'GACCCTTGDCCC GGGAGAGG3' (SEQ ID NO 96)
5'AGACCCTTGDCCC GGGAGAGG3' (SEQ ID NO 97)
5'GAGACCCTTGDCCC GGGAGAGG3' (SEQ ID NO 98)
5'CGAGACCCTTGDCCC GGGAGAGG3' (SEQ ID NO 99)
5'CCGAGACCCTTGDCCC GGGAGAGG3' (SEQ ID NO 100)
5'YCCGAGACCCTTGDCCC GGGAGAGG3' (SEQ ID NO 101)
5'GTTTAGGCCAAAAATCCCCC3' (SEQ ID NO 102)

5'AGTTTAGGCCAAAAATCCCCC3' (SEQ ID NO 103)
5'CAGTTTAGGCCAAAAATCCCCC3' (SEQ ID NO 104)
5'TCAGTTTAGGCCAAAAATCCCCC3' (SEQ ID NO 105)
5'TTCAGTTTAGGCCAAAAATCCCCC3' (SEQ ID NO 106)
5'TTTCAGTTTAGGCCAAAAATCCCCC3' (SEQ ID NO 107)
5'AGCCCGGGAGATCTAYAGGC3' (SEQ ID NO 150)
5'CAGCCCGGGAGATCTAYAGGC3' (SEQ ID NO 151)
5'CCAGCCCGGGAGATCTAYAGGC3' (SEQ ID NO 152)
5'GCCAGCCCGGGAGATCTAYAGGC3' (SEQ ID NO 153)
5'GGCCAGCCCGGGAGATCTAYAGGC3' (SEQ ID NO 154)
5'AGGCCAGCCCGGGAGATCTAYAGGC3' (SEQ ID NO 155)
5'CCCTCCTTGTGGGAGGCCAG3' (SEQ ID NO 156)
5'CCCCTCCTTGTGGGAGGCCAG3' (SEQ ID NO 157)
5'TCCCCTCCTTGTGGGAGGCCAG3' (SEQ ID NO 158)
5'CTCCCCTCCTTGTGGGAGGCCAG3' (SEQ ID NO 159)
5'TCTCCCCTCCTTGTGGGAGGCCAG3' (SEQ ID NO 160)
5'GTCTCCCCTCCTTGTGGGAGGCCAG3' (SEQ ID NO 161)
5'CCCAAWTGTCTCCCCTCCTT3' (SEQ ID NO 162)
5'TCCCAAWTGTCTCCCCTCCTT3' (SEQ ID NO 163)
5'GTCCCAAWTGTCTCCCCTCCTT3' (SEQ ID NO 164)
5'GGTCCCAAWTGTCTCCCCTCCTT3' (SEQ ID NO 165)
5'TGGTCCCAAWTGTCTCCCCTCCTT3' (SEQ ID NO 166)
5'TTGGTCCCAAWTGTCTCCCCTCCTT3' (SEQ ID NO 167)
5'CTAGTGTTGGTCCCAAWTGT3' (SEQ ID NO 168)
5'TCTAGTGTTGGTCCCAAWTGT3' (SEQ ID NO 169)
5'TTCTAGTGTTGGTCCCAAWTGT3' (SEQ ID NO 170)
5'ATTCTAGTGTTGGTCCCAAWTGT3' (SEQ ID NO 171)
5'TATTCTAGTGTTGGTCCCAAWTGT3' (SEQ ID NO 172)
5'ATATTCTAGTGTTGGTCCCAAWTGT3' (SEQ ID NO 173)
5'GGGYGATATTCTAGTGTTGG3' (SEQ ID NO 174)
5'AGGGYGATATTCTAGTGTTGG3' (SEQ ID NO 175)

5'GAGGGYGATATTCTAGTGTGG3' (SEQ ID NO 176)
5'GGAGGGYGATATTCTAGTGTGG3' (SEQ ID NO 177)
5'GGGAGGGYGATATTCTAGTGTGG3' (SEQ ID NO 178)
5'AGGGAGGGYGATATTCTAGTGTGG3' (SEQ ID NO 179)
5'GGAGGGYGATATTCTAGTGT3' (SEQ ID NO 180)
5'GGGAGGGYGATATTCTAGTGT3' (SEQ ID NO 181)
5'AGGGAGGGYGATATTCTAGTGT3' (SEQ ID NO 182)
5'GAGGGAGGGYGATATTCTAGTGT3' (SEQ ID NO 183)
5'AGAGGGAGGGYGATATTCTAGTGT3' (SEQ ID NO 184)
5'CAGAGGGAGGGYGATATTCTAGTGT3' (SEQ ID NO 185)
5'CCCAGGAGGAKTCCTCTCCC3' (SEQ ID NO 186)
5'ACCCAGGAGGAKTCCTCTCCC3' (SEQ ID NO 187)
5'AACCCAGGAGGAKTCCTCTCCC3' (SEQ ID NO 188)
5'AAACCCAGGAGGAKTCCTCTCCC3' (SEQ ID NO 189)
5'GAAACCCAGGAGGAKTCCTCTCCC3' (SEQ ID NO 190)
5'GGAAACCCAGGAGGAKTCCTCTCCC3' (SEQ ID NO 191)
5'AGGATCTGGAAACCCAGGAG3' (SEQ ID NO 192)
5'CAGGATCTGGAAACCCAGGAG3' (SEQ ID NO 193)
5'ACAGGATCTGGAAACCCAGGAG3' (SEQ ID NO 194)
5'TACAGGATCTGGAAACCCAGGAG3' (SEQ ID NO 195)
5'GTACAGGATCTGGAAACCCAGGAG3' (SEQ ID NO 196)
5'GGTACAGGATCTGGAAACCCAGGAG3' (SEQ ID NO 197)
5'TCAGAGTCACTCTCTGGTAC3' (SEQ ID NO 198)
5'CTCAGAGTCACTCTCTGGTAC3' (SEQ ID NO 199)
5'CCTCAGAGTCACTCTCTGGTAC3' (SEQ ID NO 200)
5'ACCTCAGAGTCACTCTCTGGTAC3' (SEQ ID NO 201)
5'AACCTCAGAGTCACTCTCTGGTAC3' (SEQ ID NO 202)
5'GAACCTCAGAGTCACTCTCTGGTAC3' (SEQ ID NO 203).

~~—for the amplification of exon 4 of HLA-A (table 4):~~

~~5'TTCTGTGCTCYCTTCCCCAT3' (SEQ ID NO 204)~~

~~5'GTTCTGTGCTCYCTTCCCCAT3' (SEQ ID NO 205)~~
~~5'GGTTCTGTGCTCYCTTCCCCAT3' (SEQ ID NO 206)~~
~~5'GGGTTCTGTGCTCYCTTCCCCAT3' (SEQ ID NO 207)~~
~~5'TGGGTTCTGTGCTCYCTTCCCCAT3' (SEQ ID NO 208)~~
~~5'CTGGGTTCTGTGCTCYCTTCCCCAT3' (SEQ ID NO 209)~~
~~5'GGTGTCCTGTCCATTCTCAA3' (SEQ ID NO 24)~~
~~5'RGGTGTCTGTCCATTCTCAA3' (SEQ ID NO 25)~~
~~5'CRGGTGTCCTGTCCATTCTCAA3' (SEQ ID NO 26)~~
~~5'CCRGGTGTCTGTCCATTCTCAA3' (SEQ ID NO 27)~~
~~5'CCCRGGTGTCCTGTCCATTCTCAA3' (SEQ ID NO 28)~~
~~5'TCCCRGGTGTCCTGTCCATTCTCAA3' (SEQ ID NO 29)~~
~~5'CTGGWGGAGTGTCCCATKAC3' (SEQ ID NO 210)~~
~~5'GCTGGWGGAGTGTCCCATKAC3' (SEQ ID NO 211)~~
~~5'TGCTGGWGGAGTGTCCCATKAC3' (SEQ ID NO 212)~~
~~5'RTGCTGGWGGAGTGTCCCATKAC3' (SEQ ID NO 213)~~
~~5'YRTGCTGGWGGAGTGTCCCATKAC3' (SEQ ID NO 214)~~
~~5'GYRTGCTGGWGGAGTGTCCCATKAC3' (SEQ ID NO 215)~~
~~5'GTCCCATKACAGATRCMMAA3' (SEQ ID NO 216)~~
~~5'TGTCCCATKACAGATRCMMAA3' (SEQ ID NO 217)~~
~~5'GTGTCCCATKACAGATRCMMAA3' (SEQ ID NO 218)~~
~~5'AGTGTCCCATKACAGATRCMMAA3' (SEQ ID NO 219)~~
~~5'GAGTGTCCCATKACAGATRCMMAA3' (SEQ ID NO 220)~~
~~5'GGAGTGTCCCATKACAGATRCMMAA3' (SEQ ID NO 221)~~

— for the amplification of exon 2 of HLA-B (table 5):

~~5'ACCCGCGGGGATTTTGGCCTC3' (SEQ ID NO 108)~~
~~5'AACCCGCGGGGATTTTGGCCTC3' (SEQ ID NO 109)~~
~~5'CAACCCGCGGGGATTTTGGCCTC3' (SEQ ID NO 110)~~
~~5'CCAACCCGCGGGGATTTTGGCCTC3' (SEQ ID NO 111)~~
~~5'MCCAACCCGCGGGGATTTTGGCCTC3' (SEQ ID NO 112)~~
~~5'GMCCAACCCGCGGGGATTTTGGCCTC3' (SEQ ID NO 113)~~

~~5'YGMCCAACCCGCGGGGATTTTGGCCTG3' (SEQ ID NO 314)~~

~~—for the amplification of exon 3 of HLA-B (table 6; table 7):~~

~~5'CYGGGGCGSAGGTCACGACT3' (SEQ ID NO 114)~~

~~5'CCYGGGGCGSAGGTCACGACT3' (SEQ ID NO 115)~~

~~5'GCCYGGGGCGSAGGTCACGACT3' (SEQ ID NO 116)~~

~~5'GGCCYGGGGCGSAGGTCACGACT3' (SEQ ID NO 117)~~

~~5'CGGCCYGGGGCGSAGGTCACGACT3' (SEQ ID NO 118)~~

~~5'CCGGCCYGGGGCGSAGGTCACGACT3' (SEQ ID NO 119)~~

~~5'CCCGGTTTCATTTTCAGTTG3' (SEQ ID NO 120)~~

~~5'ACCGGTTTCATTTTCAGTTG3' (SEQ ID NO 121)~~

~~5'TACCGGTTTCATTTTCAGTTG3' (SEQ ID NO 122)~~

~~5'TTACCGGTTTCATTTTCAGTTG3' (SEQ ID NO 123)~~

~~5'TTTACCGGTTTCATTTTCAGTTG3' (SEQ ID NO 124)~~

~~5'GTTTACCGGTTTCATTTTCAGTTG3' (SEQ ID NO 125)~~

~~5'CGTTTACCGGTTTCATTTTCAGTTG3' (SEQ ID NO 222)~~

~~5'GGGTTTACCGGTTTCATTTTCAGTTG3' (SEQ ID NO 223)~~

~~5'CGCGTTTACCGGTTTCATTTTCAGTTG3' (SEQ ID NO 224)~~

~~5'CGTKGGAGSCCATCCCCGSC3' (SEQ ID NO 225)~~

~~5'TCGTKGGAGSCCATCCCCGSC3' (SEQ ID NO 226)~~

~~5'CTCGTKGGAGSCCATCCCCGSC3' (SEQ ID NO 227)~~

~~5'TCTCGTKGGAGSCCATCCCCGSC3' (SEQ ID NO 228)~~

~~5'TTCTCGTKGGAGSCCATCCCCGSC3' (SEQ ID NO 229)~~

~~5'CTTCTCGTKGGAGSCCATCCCCGSC3' (SEQ ID NO 230)~~

~~5'TCTCGTKGGAGSCCATCCCC3' (SEQ ID NO 231)~~

~~5'TTCTCGTKGGAGSCCATCCCC3' (SEQ ID NO 232)~~

~~5'CTTCTCGTKGGAGSCCATCCCC3' (SEQ ID NO 233)~~

~~5'TCTTCTCGTKGGAGSCCATCCCC3' (SEQ ID NO 234)~~

~~5'YTCTTCTCGTKGGAGSCCATCCCC3' (SEQ ID NO 235)~~

~~5'CYTCTTCTCGTKGGAGSCCATCCCC3' (SEQ ID NO 236)~~

~~5'GATCCCATTTTCCTCYTCTT3' (SEQ ID NO 237)~~

~~5'TGATCCCATTTTCCTCYTCTT3' (SEQ ID NO 238)~~
~~5'CTGATCCCATTTTCCTCYTCTT3' (SEQ ID NO 239)~~
~~5'GCTGATCCCATTTTCCTCYTCTT3' (SEQ ID NO 240)~~
~~5'CGCTGATCCCATTTTCCTCYTCTT3' (SEQ ID NO 241)~~
~~5'GCGCTGATCCCATTTTCCTCYTCTT3' (SEQ ID NO 242)~~
~~5'GCTGATCCCATTTTCCTCYT3' (SEQ ID NO 243)~~
~~5'CGCTGATCCCATTTTCCTCYT3' (SEQ ID NO 244)~~
~~5'GCGCTGATCCCATTTTCCTCYT3' (SEQ ID NO 245)~~
~~5'AGCGCTGATCCCATTTTCCTCYT3' (SEQ ID NO 246)~~
~~5'TAGCGCTGATCCCATTTTCCTCYT3' (SEQ ID NO 247)~~
~~5'CTAGCGCTGATCCCATTTTCCTCYT3' (SEQ ID NO 248)~~
~~5'TCCATTCAAGGGAGGGCGAC3' (SEQ ID NO 249)~~
~~5'CTCCATTCAAGGGAGGGCGAC3' (SEQ ID NO 250)~~
~~5'TCTCCATTCAAGGGAGGGCGAC3' (SEQ ID NO 251)~~
~~5'TTCTCCATTCAAGGGAGGGCGAC3' (SEQ ID NO 252)~~
~~5'ATTCTCCATTCAAGGGAGGGCGAC3' (SEQ ID NO 253)~~
~~5'CATTCTCCATTCAAGGGAGGGCGAC3' (SEQ ID NO 254)~~

— for the amplification of exon 4 of HLA B (table 8):

~~5'AGATTATCCCAGGTGCCTGC3' (SEQ ID NO 255)~~
~~5'GAGATTATCCCAGGTGCCTGC3' (SEQ ID NO 256)~~
~~5'GGAGATTATCCCAGGTGCCTGC3' (SEQ ID NO 257)~~
~~5'AGGAGATTATCCCAGGTGCCTGC3' (SEQ ID NO 258)~~
~~5'TAGGAGATTATCCCAGGTGCCTGC3' (SEQ ID NO 259)~~
~~5'ATAGGAGATTATCCCAGGTGCCTGC3' (SEQ ID NO 260)~~
~~5'TGTCCTGYCCATTCTCAGKC3' (SEQ ID NO 261)~~
~~5'GTGTCCTGYCCATTCTCAGKC3' (SEQ ID NO 262)~~
~~5'GGTGTCTGTCCTGYCCATTCTCAGKC3' (SEQ ID NO 263)~~
~~5'AGGTGTCTGTCCTGYCCATTCTCAGKC3' (SEQ ID NO 264)~~
~~5'CAGGTGTCTGTCCTGYCCATTCTCAGKC3' (SEQ ID NO 265)~~
~~5'CCAGGTGTCTGTCCTGYCCATTCTCAGKC3' (SEQ ID NO 266)~~

~~5'TCACATGGGTGGTCCTAGG3' (SEQ ID NO 267)~~
~~5'GTCACATGGGTGGTCCTAGG3' (SEQ ID NO 268)~~
~~5'GGTCACATGGGTGGTCCTAGG3' (SEQ ID NO 269)~~
~~5'TGGTCACATGGGTGGTCCTAGG3' (SEQ ID NO 270)~~
~~5'CTGGTCACATGGGTGGTCCTAGG3' (SEQ ID NO 271)~~
~~5'KCTGGTCACATGGGTGGTCCTAGG3' (SEQ ID NO 272)~~
~~5'GKCCTGGTCACATGGGTGGTCCTAGG3' (SEQ ID NO 273)~~
~~5'TSCCATGARAGATGCMAAGC3' (SEQ ID NO 274)~~
~~5'GTSCCATGARAGATGCMAAGC3' (SEQ ID NO 275)~~
~~5'TGTSCCATGARAGATGCMAAGC3' (SEQ ID NO 276)~~
~~5'GTGTSCCATGARAGATGCMAAGC3' (SEQ ID NO 277)~~
~~5'GGTGTSCCATGARAGATGCMAAGC3' (SEQ ID NO 278)~~
~~5'GGGTGTSCCATGARAGATGCMAAGC3' (SEQ ID NO 279)~~
~~5'GWA WTTTCTGACTCTTCCCA3' (SEQ ID NO 280)~~
~~5'TGWA WTTTCTGACTCTTCCCA3' (SEQ ID NO 281)~~
~~5'CTGWA WTTTCTGACTCTTCCCA3' (SEQ ID NO 282)~~
~~5'CCTGWA WTTTCTGACTCTTCCCA3' (SEQ ID NO 283)~~
~~5'GCCTGWA WTTTCTGACTCTTCCCA3' (SEQ ID NO 284)~~
~~5'CGCCTGWA WTTTCTGACTCTTCCCA3' (SEQ ID NO 285)~~

— for the amplification of exon 2 of HLA C (table 9):

~~5'GTCGAGGGTCTGGGCGGGTT3' (SEQ ID NO 126)~~
~~5'GGTCGAGGGTCTGGGCGGGTT3' (SEQ ID NO 127)~~
~~5'CGGTCGAGGGTCTGGGCGGGTT3' (SEQ ID NO 128)~~
~~5'CCGGTCGAGGGTCTGGGCGGGTT3' (SEQ ID NO 129)~~
~~5'YCCGGTCGAGGGTCTGGGCGGGTT3' (SEQ ID NO 130)~~
~~5'CYCCGGTCGAGGGTCTGGGCGGGTT3' (SEQ ID NO 131)~~

— for the amplification of exon 3 of HLA C (table 10):

~~5'CGCCCCRAGTCTCCSSGTCT3' (SEQ ID NO 132)~~
~~5'TCGCCCCRAGTCTCCSSGTCT3' (SEQ ID NO 133)~~

~~5'GTCGCCCCRAGTCTCCSSGTCT3' (SEQ ID NO 134)~~
~~5'GGTCGCCCCRAGTCTCCSSGTCT3' (SEQ ID NO 135)~~
~~5'GGGTCGCCCCRAGTCTCCSSGTCT3' (SEQ ID NO 136)~~
~~5'CGGGTCGCCCCRAGTCTCCSSGTCT3' (SEQ ID NO 137)~~
~~5'CGRCCGGRGAGAGCCCCAGT3' (SEQ ID NO 138)~~
~~5'TCGRCCGGRGAGAGCCCCAGT3' (SEQ ID NO 139)~~
~~5'CTCGRCCGGRGAGAGCCCCAGT3' (SEQ ID NO 140)~~
~~5'CCTCGRCCGGRGAGAGCCCCAGT3' (SEQ ID NO 141)~~
~~5'CCCTCGRCCGGRGAGAGCCCCAGT3' (SEQ ID NO 142)~~
~~5'ACCCTCGRCCGGRGAGAGCCCCAGT3' (SEQ ID NO 143)~~

— for the amplification of exon 4 of HLA-C (table 11):

~~5'GTGCCTGTGTCCAGGCTGGC3' (SEQ ID NO 286)~~
~~5'GGTGCCTGTGTCCAGGCTGGC3' (SEQ ID NO 287)~~
~~5'AGGTGCCTGTGTCCAGGCTGGC3' (SEQ ID NO 288)~~
~~5'CAGGTGCCTGTGTCCAGGCTGGC3' (SEQ ID NO 289)~~
~~5'CCAGGTGCCTGTGTCCAGGCTGGC3' (SEQ ID NO 290)~~
~~5'CCCAGGTGCCTGTGTCCAGGCTGGC3' (SEQ ID NO 291)~~
~~5'TGGCGTCTGGGTTCTGTGCC3' (SEQ ID NO 292)~~
~~5'CTGGCGTCTGGGTTCTGTGCC3' (SEQ ID NO 293)~~
~~5'GCTGGCGTCTGGGTTCTGTGCC3' (SEQ ID NO 294)~~
~~5'GGCTGGCGTCTGGGTTCTGTGCC3' (SEQ ID NO 295)~~
~~5'AGGCTGGCGTCTGGGTTCTGTGCC3' (SEQ ID NO 296)~~
~~5'CAGGCTGGCGTCTGGGTTCTGTGCC3' (SEQ ID NO 297)~~
~~5'CTCAGGATRGTCACATGGSC3' (SEQ ID NO 298)~~
~~5'TCTCAGGATRGTCACATGGSC3' (SEQ ID NO 299)~~
~~5'TTCTCAGGATRGTCACATGGSC3' (SEQ ID NO 300)~~
~~5'RTTCTCAGGATRGTCACATGGSC3' (SEQ ID NO 301)~~
~~5'CRTTCTCAGGATRGTCACATGGSC3' (SEQ ID NO 302)~~
~~5'CCRTTCTCAGGATRGTCACATGGSC3' (SEQ ID NO 303)~~
~~5'GGGCTGTTGGAGTGTCGCAA3' (SEQ ID NO 78)~~

~~5'GGCGCTGTTGGAGTGTCCGAA3' (SEQ ID NO 79)~~
~~5'GGGCGCTGTTGGAGTGTCCGAA3' (SEQ ID NO 80)~~
~~5'TGGGCGCTGTTGGAGTGTCCGAA3' (SEQ ID NO 81)~~
~~5'ATGGGCGCTGTTGGAGTGTCCGAA3' (SEQ ID NO 82)~~
~~5'CATGGGCGCTGTTGGAGTGTCCGAA3' (SEQ ID NO 83)~~
~~5'SCAAGAGAGAWRCAAAGTGT3' (SEQ ID NO 304)~~
~~5'CSCAAGAGAGAWRCAAAGTGT3' (SEQ ID NO 305)~~
~~5'TCSAAGAGAGAWRCAAAGTGT3' (SEQ ID NO 306)~~
~~5'GTCSCAAGAGAGAWRCAAAGTGT3' (SEQ ID NO 307)~~
~~5'TGTCSCAAGAGAGAWRCAAAGTGT3' (SEQ ID NO 308)~~
~~5'GTGTCSCAAGAGAGAWRCAAAGTGT3' (SEQ ID NO 309)~~

5. (Currently Amended) The method according to claim 1 wherein the amplification of exon 2 is carried out using the following a forward primer selected from the group consisting of:

for HLA A: 5APBio: B-TTCTCCCCAGACGCCGAGGATGGCC (SEQ ID NO 144); or

for HLA B: IBPin1: B-GGGAGGAGCGAGGGGACCSAG (SEQ ID NO 145);

or

for HLA C: 5CIN1: B-AGCGAGGGGCCCCGGCGGCGA (SEQ ID NO 146).

6. (Cancelled)

7. (Currently Amended) The method according to claim 1 wherein:

- the amplification of exon 2 is carried out with the following primer set; using at least one primer set selected from the group consisting of:

for HLA A: 5APbio (B-TTCTCCCCAGACGCCGAGGATGGCC; SEQ ID NO 144) and 3ex2Apbio (B-ATCTCGGACCCGGAGACTGT; SEQ ID NO 1);,

- for HLA-B: IBPin1 (~~B-GGGAGGAGCGAGGGGAGCSCAG~~; SEQ ID NO 145) and IB3Pin2bio (~~B-AACCCGCGGGGATTTTGGCCTC~~; SEQ ID NO 109);
- for HLA-C: 5CIN1 (~~B-AGCGAGGGGCCCCGCCCCGGCGA~~; SEQ ID NO 146) and IC3Pin2bio (~~B-GGTCGAGGGTCTGGGCGGGTT~~; SEQ ID NO 127);
- the amplification of exon 3 is carried out with the following primer set: using at least one primer set selected from the group consisting of:
 - or HLA-A: 5ex3APbio (~~B-CAGTTTAGGCCAAAAATCCCCC~~; SEQ ID NO 104) and 3ex3APbio (~~B-CCCTCCTTGTTGGGAGGCCAG~~; SEQ ID NO 156);
 - for HLA-B: IB5Pin2bio (~~B-CGGGTTTACCCGGTTTCATTTTCAGTTG~~; SEQ ID NO 224) and IB3Pin3bio (~~B-TCTTCTCGTKGGAGSCCATCCCC~~; SEQ ID NO 234);
 - for HLA-C: IC5Pin2bio (~~B-TCGRCCGGRGAGAGCCCCAGT~~; SEQ ID NO 139) and 3CIN3 (~~B-GGAGATGGGGAAGGCTCCCCACT~~; SEQ ID NO 149);
 - and
 - the amplification of exon 4 is carried out using at least one primer set selected from the group consisting of:
 - for HLA-A: 5ex4APbio (~~B-GTTCTGTGCTCYCTTCCCCAT~~; SEQ ID NO 205) and 3ex4APbio (~~B-TTGGGCAGACCCTCATGCTGC~~; SEQ ID NO 311);
 - for HLA-B: 5ex4IBbio (~~B-TCACATGGGTGGTCCTAGG~~; SEQ ID NO 267) and 3ex4IBbio (~~B-TCGGCAGCCCCCTCATGCTGT~~; SEQ ID NO 312);
 - for HLA-C: 5ex4ICbio (~~B-TCTCAGGATRGTCACATGGSC~~; SEQ ID NO 299) and 3ex4ICbio (~~B-CATCTCAGGGTGMRGGGCTT~~; SEQ ID NO 313).

8-9. (Cancelled)

10. (Currently Amended) A reverse primer for use in the locus-specific amplification of exon 2 3 of HLA-A, ~~HLA-B~~ or ~~HLA-C~~ alleles comprising a nucleotide sequence which hybridizes to a locus-specific target sequence in intron 2 3 of the alleles: wherein the locus-specific target sequence is situated at:

position 32, 50, 62, 73, 83, 86, 118, 130, 150, 501, 525, 561 or 571 of the HLA-A intron 3 sequence as defined by SEQ ID NO 444, and wherein said position constitute the 3' end of the primer.

11-21. (Cancelled)

22. (Currently Amended) The method for typing or subtyping HLA-A alleles comprising the amplification method according to claim 1 ~~further comprising the step of typing or subtyping the allele.~~

23. (Cancelled)

24. (Currently Amended) A diagnostic kit ~~or a line probe assay~~ for the typing or subtyping of ~~one or more HLA-A, HLA-B or HLA-C alleles~~ in a sample comprising a primer mix according to claim 27 ~~comprising a primer set according to claim 13.~~

25. (Cancelled)

26. (New) A primer for use in the locus-specific amplification of exon 2 or exon 3 of HLA-A alleles comprising a nucleotide sequence which hybridizes to a locus-specific target sequence in intron 2 of the alleles, wherein the locus-specific target sequence is situated at:

position 67, 96, 109, 110, 118, 123, 131 or 181 of the HLA-A intron 2 sequence as defined by SEQ ID NO 315, and wherein said position constitute the 3' end of the primer.

27. (New) A primer mix for use in the amplification of exon 2 and 3 of HLA-A alleles comprising a reverse primer specifically hybridizing to a locus-specific target sequence in intron 2 of HLA-A and a forward primer specifically hybridizing to a locus-specific target sequence in intron 2 of HLA-A or a reverse primer specifically hybridizing to a locus-specific target sequence in intron 3 of HLA-A, wherein the locus-specific target sequence is situated at:

position 67, 96, 109, 110, 118, 123, 131 or 181 of the HLA-A intron 2 sequence as defined by SEQ ID NO 315, and position 32, 50, 62, 73, 83, 86, 118, 130, 150, 501, 525, 561 or 571 of the HLA-A intron 3 sequence as defined by SEQ ID NO 444, and wherein said position constitute the 3' end of the primer.

28. (New) A method for amplifying exon 2, exon 3 and exon 4 of HLA-A alleles separately in one reaction, comprising

(a) hybridizing a forward or reverse primer to a locus-specific target sequence within an intron of the allele, wherein:

- for the amplification of exon 2, the reverse primer specifically hybridizes to a locus-specific target sequence in intron 2 of HLA-A,
- for the amplification of exon 3, the forward primer specifically hybridizes to a locus-specific target sequence in intron 2 of HLA-A, and/or the reverse primer specifically hybridizes to a locus-specific target sequence in intron 3 of HLA-A,
- for the amplification of exon 4, the forward primer specifically hybridizes to a locus-specific target sequence in intron 3 of HLA-A,

(b) amplifying exon 2, exon 3 and exon 4 under conditions suitable to obtain an amplified product.

29. (New) A method according to claim 28 further characterized in that the locus-specific target sequence is situated at position 67, 96, 109, 110, 118, 123, 131 or 181 of the HLA-A intron 2 sequence as defined by SEQ ID NO 315 and/or position 32, 50, 62, 73, 83, 86, 118, 130, 150, 501, 525, 561 or 571 of the HLA-A intron 3 sequence as defined by SEQ ID NO 444.

30. (New) The method according to claim 28 wherein said position constitute the 3' end of the primer that is used for the amplification.

31. (New) The method according to claim 28 wherein the primer is selected from the group consisting of:

- for the amplification of exon 2 of HLA-A: SEQ ID NO 1-23 and SEQ ID NO 30-53,
- for the amplification of exon 3 of HLA-A: SEQ ID NO 54-77, SEQ ID NO 84-107, SEQ ID NO 150-203
- for the amplification of exon 4 of HLA-A: SEQ ID NO 204-209, SEQ ID NO 24-29, SEQ ID NO 210-221.

32. (New) The method according to claim 28 wherein:

- the amplification of exon 2 is carried out with the following primers sets:
5APbio (B-TTCTCCCCAGACGCCGAGGATGGCC; SEQ ID NO 144) and
3ex2Apbio (B-ATCTCGGACCCGGAGACTGT; SEQ ID NO 1),
- the amplification of exon 3 is carried out with the following primer sets:
5ex3APbio (B-CAGTTTAGGCCAAAAATCCCCC; SEQ ID NO 104) and
3APBio (B-CCGTGCGCTGCAGCGTCTCCTTCCCG; SEQ ID NO 147),
- the amplification of exon 4 is carried out with the following primer sets:
5ex4APbio (B-GTTCTGTGCTCYCTTCCCCAT; SEQ ID NO 205) and
3ex4APbio (B-TTGGGCAGACCCTCATGCTGC ; SEQ ID NO 311).

33. (New) The method according to claim 28 wherein exon 2, exon 3 and exon 4 of HLA-A are amplified by use of a multiplex primer mix containing at least one primer pair for the amplification of exon 2, at least one primer pair for the amplification of exon 3 and at least one primer pair for the amplification of exon 4.

34. (New) A forward primer for use in the amplification of exon 4 of HLA-A alleles comprising a nucleotide sequence which hybridizes to a locus-specific target sequence in intron 3 of the alleles, said target sequence being situated at position 32, 50, 62, 73, 83, 86, 118, 130, 150, 501, 525, 561 or 571 of the HLA-A intron 3 sequence as defined by SEQ ID NO 444.

35. (New) A primer mix comprising a primer set for the amplification of exon 2 of HLA-A whereby the reverse primer specifically hybridizes to a locus-specific target sequence

in intron 2 of HLA-A, a primer set for the amplification of exon 3 of HLA-A whereby the forward primer specifically hybridizes to a locus-specific target sequence in intron 2 of HLA-A or whereby the reverse primer specifically hybridizes to a locus-specific target sequence in intron 3 of HLA-A, and a primer set for the amplification of exon 4 of HLA-A whereby the forward primer specifically hybridizes to a locus-specific target sequence in intron 3 of HLA-A.

36. (New) A method for typing or subtyping HLA-A alleles comprising the amplification method according to claim 28.

37. (New) A diagnostic kit for the typing or subtyping of HLA-A alleles in a sample comprising a primer according to claim 34.

38. (New) A diagnostic kit for the typing or subtyping of HLA-A alleles in a sample comprising a primer mix according to claim 35.